

---

## References

Pages on which each reference is cited are given in square brackets.

- Abraham, B. and J. Ledolter (1983) *Statistical methods for forecasting*, John Wiley & Sons, New York, USA. [292]
- Abramowitz, M. and I. A. Stegun (1964) *Handbook of mathematical functions with formulas, graphs, and mathematical tables*, vol. 55 of *NBS Applied Mathematics Series*, National Bureau of Standards, Washington, DC, tenth corrected printing ed. [332]
- Agrawal, N. and S. A. Smith (1996) Estimating negative binomial demand for retail inventory management with unobservable lost sales, *Naval Research Logistics*, **43**(6), 839–861. [315]
- Akaike, H. (1973) Information theory and an extension of the maximum likelihood principle, in B. N. Petrov and F. Csaki (eds.) *Second International Symposium on Information Theory*, pp. 267–281, Akademiai Kiado, Budapest. [15]
- Akaike, H. (1974) A new look at the statistical model identification, *IEEE Transactions on Automatic Control*, **19**, 716–723. [15, 114, 220]
- Akaike, H. (1977) On entropy maximization principle, in P. R. Krishnaiah (ed.) *Applications of Statistics*, pp. 27–41, North Holland. [115]
- Akram, M., R. J. Hyndman and J. K. Ord (2007) Non-linear exponential smoothing and positive data, Working paper 14/07, Department of Econometrics & Business Statistics, Monash University. [265]
- Allen, P. G. and B. J. Morzuch (2006) Twenty-five years of progress, problems, and conflicting evidence in econometric forecasting. What about the next 25 years?, *International Journal of Forecasting*, **22**, 475–492. [304]
- Andersen, T. G., T. Bollerslev and N. Meddahi (2004) Analytical evaluation of volatility forecasts, *International Economic Review*, **45**(4), 1079–1110. [334]
- Anderson, B. D. O. and J. B. Moore (1979) *Optimal filtering*, Prentice-Hall, Englewood Cliffs. [14, 15, 222, 227, 298]
- Anderson, H. M., C. N. Low and R. D. Snyder (2006) Single source of error state-space approach to the Beveridge-Nelson decomposition, *Economics Letters*, **91**, 104–109. [337, 338]

- Anderson, T. W. (1958) *An introduction to multivariate statistical analysis*, John Wiley & Sons, New York, USA. [207]
- Anderson, T. W. (1971) *The statistical analysis of time series*, John Wiley and Sons, New York, USA. [184]
- Anderson, T. W. and D. A. Darling (1952) Asymptotic theory of certain “goodness of fit” criteria based on stochastic processes, *The Annals of Mathematical Statistics*, **23**(2), 193–212. [154]
- Ansley, C. F. and R. Kohn (1985) A structured state space approach to computing the likelihood of an ARIMA process and its derivatives, *Journal of Statistical Computation & Simulation*, **21**, 135–169. [208, 222]
- Aoki, M. (1987) *State space modeling of time series*, Springer-Verlag, Berlin. [14, 220]
- Aoki, M. and A. Havenner (1991) State space modelling of multiple time series, *Econometric Reviews*, **10**, 1–59. [15]
- Archibald, B. C. (1984) Seasonal exponential smoothing models, Working paper 30/1984, School of Business Administration, Dalhousie University, Halifax, Canada. [169]
- Archibald, B. C. (1990) Parameter space of the Holt-Winters’ model, *International Journal of Forecasting*, **6**, 199–209. [24, 169]
- Archibald, B. C. (1991) Invertible region of damped trend, seasonal, exponential smoothing model, Working paper 10/1991, School of Business Administration, Dalhousie University, Halifax, NS. Canada. [165, 169]
- Archibald, B. C. and A. B. Koehler (2003) Normalization of seasonal factors in Winters’ methods, *International Journal of Forecasting*, **19**, 143–148. [136]
- Assimakopoulos, V. and K. Nikolopoulos (2000) The theta model: a decomposition approach to forecasting, *International Journal of Forecasting*, **16**, 521–530. [23, 56]
- Athanasopoulos, G. and F. Vahid (2008a) A complete VARMA modelling methodology based on scalar components, *Journal of Time Series Analysis*, to appear. [303]
- Athanasopoulos, G. and F. Vahid (2008b) VARMA versus VAR for macroeconomic forecasting, to appear. [303]
- Bachelier, L. (1900) Théorie de la spéculation, *Annales Scientifiques de l’École Normale Supérieure*, **3**(17), 21–86. [327]
- Bell, W. R. (1984) Signal extraction for nonstationary time series, *The Annals of Statistics*, **12**(2), 646–664. [232]
- Beveridge, S. and C. R. Nelson (1981) A new approach to decomposition of economic time series into permanent and transitory components with particular attention to measurement of the business cycle, *Journal of Monetary Economics*, **7**, 151–174. [335, 337, 338, 344]
- Billah, B., R. J. Hyndman and A. B. Koehler (2003) Empirical information criteria for time series forecasting model selection, Working paper 02/03, Department of Econometrics & Business Statistics, Monash University. [114, 115, 126]

- Billah, B., R. J. Hyndman and A. B. Koehler (2005) Empirical information criteria for time series forecasting model selection, *Journal of Statistical Computation & Simulation*, **75**(10), 831–840. [115, 126]
- Black, F. and M. Scholes (1973) The pricing of options and corporate liabilities, *Journal of Political Economy*, **81**(3), 637–654. [327]
- Bollerslev, T. (1986) Generalized autoregressive conditional heteroscedasticity, *Journal of Econometrics*, **31**, 307–327. [329]
- Bowerman, B. L., R. T. O’Connell and A. B. Koehler (2005) *Forecasting, time series and regression: an applied approach*, Thomson Brooks/Cole, Belmont CA. [24]
- Bowman, K. O. and L. R. Shenton (1975) Omnibus test contours for departures from normality based on  $\sqrt{b_1}$  and  $b_2$ , *Biometrika*, **62**(2), 243–250. [154]
- Box, G. E. P. and D. R. Cox (1964) An analysis of transformations, *Journal of the Royal Statistical Society, Series B*, **26**(2), 211–252. [73]
- Box, G. E. P. and G. M. Jenkins (1970) *Time series analysis: forecasting and control*, Holden-Day, San Francisco. [171]
- Box, G. E. P., G. M. Jenkins and G. C. Reinsel (1994) *Time series analysis: forecasting and control*, Prentice-Hall, Englewood Cliffs, New Jersey, 3rd ed. [14, 44, 77, 149, 175, 176, 223, 239]
- Brockwell, P. J. and R. A. Davis (1991) *Time series: theory and methods*, Springer-Verlag, New York, USA, 2nd ed. [45]
- Brown, R. G. (1959) *Statistical forecasting for inventory control*, McGraw-Hill, New York, USA. [13, 21, 22, 49, 240, 287, 294, 313, 317]
- Brown, R. G. (1963) *Smoothing, forecasting and prediction of discrete time series*, Prentice Hall, Englewood Cliffs, New Jersey. [13]
- Burrige, P. and K. F. Wallis (1988) Prediction theory for autoregressive-moving average processes, *Econometric Reviews*, **7**(1), 65–95. [232]
- Caines, P. and D. Mayne (1970) On the discrete time matrix Riccati equation of optimal control, *International Journal of Control*, **12**, 785–794. [223]
- Caines, P. and D. Mayne (1971) On the discrete time matrix Riccati equation of optimal control: a correction, *International Journal of Control*, **14**, 205–207. [223]
- Campbell, J. and N. G. Mankiw (1987) Permanent and transitory components in macroeconomic fluctuations, *The American Economic Review*, **77**, 111–117. [339, 340]
- Canova, F. (1998) Detrending and business cycle facts, *Journal of Monetary Economics*, **41**, 475–512. [335]
- Chan, K. S. and J. Ledolter (1995) Monte Carlo EM estimation for time series models involving counts, *Journal of the American Statistical Association*, **90**(429), 242–252. [288]
- Charnes, A. and W. W. Cooper (1962) Programming with linear fractional functionals, *Naval Research Logistics Quarterly*, **9**, 181–186. [235]
- Chatfield, C. (1993) Calculating interval forecasts, *Journal of Business & Economic Statistics*, **11**, 121–135. [83]

- Chatfield, C. and M. Yar (1991) Prediction intervals for multiplicative Holt-Winters, *International Journal of Forecasting*, **7**, 31–37. [92]
- Chen, C. C. and W. J. Tsay (2006) The Beveridge-Nelson decomposition of Markov-switching processes, *Economics Letters*, **91**, 83–89. [344]
- Clarida, R. H. and M. P. Taylor (2003) Nonlinear permanent-temporary decompositions in macroeconometrics and finance, *Economic Journal*, **113**, C125–C139. [344]
- Cottet, R. and M. Smith (2003) Bayesian modeling and forecasting of intraday electricity load, *Journal of the American Statistical Association*, **98**(464), 839–849. [248]
- Croston, J. D. (1972) Forecasting and stock control for intermittent demands, *Operational Research Quarterly*, **23**(3), 289–304. [288, 291, 292, 294]
- de Jong, P. (1991a) The diffuse Kalman filter, *The Annals of Statistics*, **19**, 1073–1083. [208, 222]
- de Jong, P. (1991b) Stable algorithms for the state space model, *Journal of Time Series Analysis*, **12**, 143–157. [222]
- de Silva, A., R. J. Hyndman and R. D. Snyder (2007) The vector innovation structural time series framework: a simple approach to multivariate forecasting, Working paper 3/07, Department of Econometrics & Business Statistics, Monash University. [297, 302, 306, 308, 309]
- Doornik, J. A. and H. Hansen (1994) An omnibus test for univariate and multivariate normality, Working paper W4&91, Nuffield College, Oxford University. [154]
- Duncan, D. B. and S. D. Horn (1972) Linear dynamic recursive estimation from the viewpoint of regression analysis, *Journal of the American Statistical Association*, **67**, 815–821. [15]
- Durbin, J. and S. J. Koopman (2001) *Time series analysis by state space methods*, Oxford University Press, Oxford, UK. [15]
- Engle, R. F. (1982) Autoregressive conditional heteroscedasticity with estimates of the variance of United Kingdom inflation, *Econometrica*, **50**, 987–1007. [329]
- Engle, R. F. and C. W. J. Granger (1987) Cointegration and error-correction: Representation, estimation and testing, *Econometrica*, **55**, 251–276. [304]
- Fildes, R. (1992) The evaluation of extrapolative forecasting methods, *International Journal of Forecasting*, **8**, 81–98. [56]
- Friedman, M. (1957) *The theory of the consumption function*, Princeton University Press, Princeton, New Jersey. [336]
- Gallant, A. R. (1987) *Nonlinear statistical methods*, John Wiley & Sons, New York, USA. [76]
- Gardner, Jr, E. S. (1985) Exponential smoothing: the state of the art, *Journal of Forecasting*, **4**, 1–28. [20]
- Gardner, Jr, E. S. (2006) Exponential smoothing: the state of the art — part II, *International Journal of Forecasting*, **22**(4), 637–666. [13]
- Gardner, Jr, E. S. and E. McKenzie (1985) Forecasting trends in time series, *Management Science*, **31**(10), 1237–1246. [23, 300]

- Gentleman, W. M. (1973) Least squares computations by Givens transformations without square roots, *IMA Journal of Applied Mathematics*, **12**(3), 329–336. [215]
- Geweke, J. F. and R. A. Meese (1981) Estimating regression models of finite but unknown order, *International Economic Review*, **22**, 55–70. [115]
- Gijbels, I., A. Pope and M. P. Wand (1999) Understanding exponential smoothing via kernel regression, *Journal of the Royal Statistical Society, Series B*, **61**(1), 39–50. [232]
- Gilchrist, W. G. (1967) Methods of estimation involving discounting, *Journal of the Royal Statistical Society, Series B*, **29**(2), 355–369. [289]
- Golub, G. H. and C. F. Van Loan (1996) *Matrix computations*, Johns Hopkins University Press, 3rd ed. [194, 213, 215]
- Gould, P., A. B. Koehler, F. Vahid-Araghi, R. D. Snyder, J. K. Ord and R. J. Hyndman (2008) Forecasting time series with multiple seasonal patterns, *European Journal of Operational Research*, to appear. [237]
- Granger, C. W. J. and P. Newbold (1986) *Forecasting economic time series*, Academic Press, New York, USA, 2nd ed. [223, 305]
- Graves, S. C. (1999) A single-item inventory model for a nonstationary demand process, *Manufacturing & Service Operations Management*, **1**(1), 50–61. [98, 313, 322]
- Grunwald, G. K., K. Hamza and R. J. Hyndman (1997) Some properties and generalizations of non-negative Bayesian time series models, *Journal of the Royal Statistical Society, Series B*, **59**, 615–626. [290]
- Hamilton, J. D. (1989) A new approach to the economic analysis of nonstationary time series and the business cycle, *Econometrica*, **57**(2), 357–384. [337]
- Hamilton, J. D. (1994) *Time series analysis*, Princeton University Press, Princeton, NJ. [76, 78]
- Hannan, E. J. (1980) The estimation of the order of an ARMA process, *The Annals of Statistics*, **8**, 1071–1081. [115]
- Hannan, E. J. and M. Deistler (1988) *The statistical theory of linear systems*, John Wiley & Sons, New York, USA. [14, 15, 158, 160, 227]
- Hannan, E. J. and B. Quinn (1979) The determination of the order of an autoregression, *Journal of the Royal Statistical Society, Series B*, **41**(2), 190–195. [114, 115]
- Harrison, P. J. (1967) Exponential smoothing and short-term sales forecasting, *Management Science*, **13**(11), 821–842. [91, 98]
- Harrison, P. J. (1997) Convergence and the constant dynamic linear model, *Journal of Forecasting*, **16**(5), 287–292. [223]
- Harrison, P. J. and C. F. Stevens (1976) Bayesian forecasting, *Journal of the Royal Statistical Society, Series B*, **38**(3), 205–247. [15]
- Harvey, A. C. (1985) Trends and cycles in macroeconomic time series, *Journal of Business & Economic Statistics*, **3**, 216–237. [335]
- Harvey, A. C. (1986) Analysis and generalisation of a multivariate exponential smoothing model, *Management Science*, **32**(3), 374–380. [299]

- Harvey, A. C. (1989) *Forecasting, structural time series models and the Kalman filter*, Cambridge University Press, Cambridge. [15, 145, 152, 153, 155, 184, 205, 219, 220, 222, 239, 297, 299, 305]
- Harvey, A. C. and C. Fernandes (1989) Time series models for count or qualitative observations, *Journal of Business & Economic Statistics*, **7**(4), 407–422. [288, 289]
- Harvey, A. C. and S. J. Koopman (2000) Signal extraction and the formulation of unobserved components models, *Econometrics Journal*, **3**, 84–17. [231]
- Harvey, A. C., E. Ruiz and N. Shephard (1994) Multivariate stochastic variance models, *Review of Economic Studies*, **61**, 247–264. [334]
- Heinen, A. (2003) Modeling time series count data: An autoregressive conditional Poisson model, CORE Discussion Paper 2003/62, Center of Operations Research and Econometrics, Université catholique de Louvain. [288]
- Heligman, L. and J. H. Pollard (1980) The age pattern of mortality, *Journal of the Institute of Actuaries*, **107**, 49–80. [335]
- Hendry, D. F. (1995) *Dynamic econometrics*, Oxford University Press, Oxford, UK. [304]
- Hillmer, S. C. and G. C. Tiao (1982) An ARIMA-model-based approach to seasonal adjustment, *Journal of the American Statistical Association*, **77**, 63–70. [232]
- Holt, C. C. (1957) Forecasting trends and seasonals by exponentially weighted averages, O.N.R. Memorandum 52/1957, Carnegie Institute of Technology. [13, 22, 23, 52]
- Holt, C. C. (2004) Forecasting seasonals and trends by exponentially weighted moving averages, *International Journal of Forecasting*, **20**, 5–10. [13, 22]
- Hull, J. and A. White (1987) Hedging the risks from writing foreign currency options, *Journal of International Money and Finance*, **6**, 131–152. [328]
- Hurvich, C. M. and C. Tsai (1989) Regression and time series model selection in small samples, *Biometrika*, **76**, 297–307. [115]
- Hyndman, R. J. (2001) It's time to move from 'what' to 'why'—comments on the M3-competition, *International Journal of Forecasting*, **17**(4), 567–570. [83]
- Hyndman, R. J. (2004) The interaction between trend and seasonality, *International Journal of Forecasting*, **20**(4), 561–563. [19]
- Hyndman, R. J. (2007) *forecast: Forecasting functions for time series*, R package version 1.05. URL: <http://www.robhyndman.info/Rlibrary/forecast/>. [3]
- Hyndman, R. J. and M. Akram (2006) Some nonlinear exponential smoothing models are unstable, Working paper 3/06, Department of Econometrics & Business Statistics, Monash University. [265, 268, 272]
- Hyndman, R. J., M. Akram and B. C. Archibald (2008) The admissible parameter space for exponential smoothing models, *Annals of the Institute of Statistical Mathematics*, to appear. [157, 161, 164, 169]
- Hyndman, R. J. and B. Billah (2003) Unmasking the Theta method, *International Journal of Forecasting*, **19**(2), 287–290. [23, 56]

- Hyndman, R. J. and A. B. Koehler (2006) Another look at measures of forecast accuracy, *International Journal of Forecasting*, **22**, 679–688. [33, 34, 116]
- Hyndman, R. J., A. B. Koehler, J. K. Ord and R. D. Snyder (2005) Prediction intervals for exponential smoothing using two new classes of state space models, *Journal of Forecasting*, **24**, 17–37. [85]
- Hyndman, R. J., A. B. Koehler, R. D. Snyder and S. Grose (2002) A state space framework for automatic forecasting using exponential smoothing methods, *International Journal of Forecasting*, **18**(3), 439–454. [17, 20, 23, 31, 36, 81, 86, 122, 266, 271]
- Jarque, C. M. and A. K. Bera (1980) Efficient tests for normality, homoscedasticity and serial independence of regression residuals, *Economics Letters*, **6**(3), 255–259. [154]
- Jazwinski, A. H. (1970) *Stochastic processes and filtering theory*, Academic Press, New York, USA. [15]
- Johansen, S. (1988) Statistical analysis of cointegration vectors, *Journal of Economic Dynamics and Control*, **12**, 231–254. [304]
- Johnston, F. R. and J. E. Boylan (1996) Forecasting for items with intermittent demand, *Journal of the Operational Research Society*, **47**, 113–121. [291]
- Johnston, F. R. and P. J. Harrison (1986) The variance of lead-time demand, *Journal of the Operational Research Society*, **37**(3), 303–308. [91, 98, 313]
- Jung, R. C., M. Kukuk and R. Liesenfeld (2006) Time series of count data: modeling, estimation and diagnostics, *Computational Statistics & Data Analysis*, **51**, 2350–2364. [288]
- Kalman, R. E. (1960) A new approach to linear filtering and prediction problem, *Journal of Basic Engineering*, **82**(1), 35–45. [15, 187]
- Kalman, R. E. and R. S. Bucy (1961) New results in linear filtering and prediction theory, *Journal of Basic Engineering*, **83**(3), 95–108. [15]
- Kendall, M. G. (1953) The analysis of economic time-series — part I: prices, *Journal of the Royal Statistical Society, Series A*, **116**(1), 11–34. [327]
- Kim, C. J. (1994) Dynamic linear models with Markov-switching, *Journal of Econometrics*, **60**, 1–22. [345]
- King, R. G., C. I. Plosser and S. Rebelo (1988) Production, growth and business cycles II: New directions, *Journal of Monetary Economics*, **21**, 309–341. [346]
- Koehler, A. B., R. D. Snyder and J. K. Ord (2001) Forecasting models and prediction intervals for the multiplicative Holt-Winters' method, *International Journal of Forecasting*, **17**, 269–286. [92]
- Koning, A. J., P. H. Franses, M. Hibon and H. O. Stekler (2005) The M3 competition: Statistical tests of the results, *International Journal of Forecasting*, **21**(3), 397–409. [119]
- Lawton, R. (1998) How should additive Holt-Winters' estimates be corrected?, *International Journal of Forecasting*, **14**, 393–403. [161]
- Leeds, M. (2000) *Error structures for dynamic linear models: single source versus multiple source*, Ph.D. thesis, Department of Statistics, The Pennsylvania State University. [223, 229]

- Lilliefors, H. W. (1967) On the Kolmogorov-Smirnov test for normality with mean and variance unknown, *Journal of the American Statistical Association*, **62**(318), 399–402. [154]
- Ljung, G. M. and G. E. P. Box (1978) On a measure of lack of fit in time series models, *Biometrika*, **65**(2), 297–303. [153]
- Low, C. N., H. M. Anderson and R. D. Snyder (2006) Beveridge-Nelson decomposition with Markov switching, Melbourne Institute Working Paper 14/06, The University of Melbourne. [337, 344, 345]
- Lütkepohl, H. (2005) *New introduction to multiple time series analysis*, Springer-Verlag. [297, 309]
- Makridakis, S. (1993) Accuracy measures: theoretical and practical concerns, *International Journal of Forecasting*, **9**, 527–529. [34]
- Makridakis, S., A. Anderson, R. Carbone, R. Fildes, M. Hibon, R. Lewandowski, J. Newton, E. Parzen and R. Winkler (1982) The accuracy of extrapolation (time series) methods: Results of a forecasting competition, *Journal of Forecasting*, **1**, 111–153. [36]
- Makridakis, S. and M. Hibon (2000) The M3-competition: Results, conclusions and implications, *International Journal of Forecasting*, **16**, 451–476. [34, 36, 113, 116, 117, 254]
- Makridakis, S., S. C. Wheelwright and R. J. Hyndman (1998) *Forecasting: methods and applications*, John Wiley & Sons, New York, USA, 3rd ed. [19, 24, 80, 86]
- McClain, J. O. and L. J. Thomas (1973) Response-variance tradeoffs in adaptive forecasting, *Operations Research*, **21**, 554–568. [162]
- McKenzie, E. (1976) A comparison of some standard seasonal forecasting systems, *The Statistician*, **25**(1), 3–14. [231]
- McKenzie, E. (1986) Error analysis for Winters' additive seasonal forecasting system, *International Journal of Forecasting*, **2**, 373–382. [133]
- Merton, R. C. (1973) Theory of rational option pricing, *Bell Journal of Economics and Management Science*, **4**(1), 141–183. [327]
- Miller, M. (1988) The Beveridge-Nelson decomposition of economic time series: another economical computational method, *Journal of Monetary Economics*, **21**, 141–142. [337]
- Morgan, F. (2005) *Real analysis and applications: including Fourier series and the calculus of variations*, American Mathematical Society, Providence, R.I. [105]
- Morley, J. C. (2002) A state-space approach to calculating the Beveridge-Nelson decomposition, *Economics Letters*, **75**, 123–127. [337]
- Morley, J. C., C. R. Nelson and E. Zivot (2003) Why are the Beveridge-Nelson and unobserved-components decompositions of GDP so different?, *The Review of Economics and Statistics*, **85**, 235–243. [340, 343]
- Muth, J. F. (1960) Optimal properties of exponentially weighted forecasts, *Journal of the American Statistical Association*, **55**(290), 299–306. [14]
- Nahmias, S. (1994) Demand estimation in lost sales inventory systems, *Naval Research Logistics*, **41**(6), 739–757. [315]

- Nelson, C. R. and C. I. Plosser (1982) Trends and random walks in macroeconomic time series, *Journal of Monetary Economics*, **10**, 132–162. [335]
- Nelson, D. B. (1991) Conditional heteroskedasticity in asset returns: A new approach, *Econometrica*, **59**(2), 347–370. [330]
- Newbold, P. (1990) Precise and efficient computation of the Beveridge-Nelson decomposition of economic time series, *Journal of Monetary Economics*, **26**, 453–457. [337, 344]
- Ord, J. K., A. B. Koehler and R. D. Snyder (1997) Estimation and prediction for a class of dynamic nonlinear statistical models, *Journal of the American Statistical Association*, **92**, 1621–1629. [15, 17, 24, 86, 88, 248]
- Ord, J. K. and P. Young (2004) Estimating the impact of recent interventions on transportation indicators, *Journal of Transportation and Statistics*, **7**, 69–85. [156]
- Ouwehand, P., R. J. Hyndman, T. G. de Kok and K. H. van Donselaar (2007) A state space model for exponential smoothing with group seasonality, Working paper 07/07, Department of Econometrics & Business Statistics, Monash University. [299]
- Paige, C. C. and M. A. Saunders (1977) Least squares estimation of discrete linear dynamic systems using orthogonal transformations, *SIAM Journal on Numerical Analysis*, **14**(2), 180–193. [187]
- Park, J. W., M. G. Genton and S. K. Ghosh (2005) Censored time series analysis with autoregressive moving average models, Institute of Statistics Mimeo Series 2578, North Carolina State University. [315]
- Pearlman, J. G. (1980) An algorithm for the exact likelihood of a high-order autoregressive-moving average process, *Biometrika*, **67**(1), 232–233. [182]
- Pegels, C. C. (1969) Exponential forecasting: Some new variations, *Management Science*, **15**(5), 311–315. [20]
- Potter, S. (1995) A nonlinear approach to US GNP, *Journal of Applied Econometrics*, **10**(2), 109–125. [337]
- Press, W. H., S. A. Teukolsky, W. T. Vetterling and B. P. Flannery (2002) *Numerical recipes in C++: the art of scientific computing*, Cambridge University Press, Cambridge, 2nd ed. [324]
- Proietti, T. (2002) Forecasting with structural time series models, in Clements and Hendry (eds.) *A Companion to Economic Forecasting*, pp. 105–132, Prentice-Hall. [339]
- Proietti, T. and A. C. Harvey (2000) A Beveridge-Nelson smoother, *Economics Letters*, **67**, 139–146. [232]
- Ramanathan, R., R. F. Engle, C. W. J. Granger, F. Vahid-Araghi and C. Brace (1997) Short-run forecasts of electricity loads and peaks, *International Journal of Forecasting*, **13**, 161–174. [248]
- Roberts, S. A. (1982) A general class of Holt-Winters type forecasting models, *Management Science*, **28**(8), 808–820. [133, 169]
- Robinson, P. M. (1980) Estimation and forecasting for time series containing censored or missing observations, in O. D. Anderson (ed.) *Time Series*, pp. 167–182, North-Holland, Amsterdam. [315]

- Schott, J. R. (2005) *Matrix analysis for statistics*, John Wiley and Sons, Hoboken, NJ, 2nd ed. [94]
- Schwarz, G. (1978) Estimating the dimension of a model, *The Annals of Statistics*, **6**, 461–464. [114, 115]
- Schweppe, F. (1965) Evaluation of likelihood functions for Gaussian signals, *IEEE Transactions on Information Theory*, **11**, 61–70. [192, 221]
- Shenstone, L. and R. J. Hyndman (2005) Stochastic models underlying Croston's method for intermittent demand forecasting, *Journal of Forecasting*, **24**, 389–402. [292]
- Shibata, R. (1976) Selection of the order of an autoregressive model by Akaike's information criterion, *Biometrika*, **63**, 117–126. [115]
- Shiryayev, A. N. (1984) *Probability*, Springer-Verlag, New York, USA. [272]
- Silver, E. A., D. F. Pyke and R. Peterson (1998) *Inventory management and production planning and scheduling*, Wiley, New York, USA, 3rd ed. [313]
- Silverman, B. W. (1986) *Density estimation for statistics and data analysis*, Chapman and Hall, London. [87]
- Sims, C. A. (1980) Macroeconomics and reality, *Econometrica*, **48**(1), 1–48. [303]
- Snyder, R. D. (1980) The safety stock syndrome, *Journal of the Operational Research Society*, **31**, 833–837. [319]
- Snyder, R. D. (2002) Forecasting sales of slow and fast moving inventories, *European Journal of Operational Research*, **140**, 684–699. [292]
- Snyder, R. D. and C. S. Forbes (2003) Reconstructing the Kalman filter for stationary and non stationary time series, *Studies in Nonlinear Dynamics and Econometrics*, **7**(2), 1–18. [161, 208]
- Snyder, R. D., A. B. Koehler, R. J. Hyndman and J. K. Ord (2004) Exponential smoothing models: Means and variances for lead-time demand, *European Journal of Operational Research*, **158**(2), 444–455. [85, 98]
- Snyder, R. D., A. B. Koehler and J. K. Ord (1999) Lead time demand for simple exponential smoothing: an adjustment factor for the standard deviation, *Journal of the Operational Research Society*, **50**, 1079–1082. [98, 313]
- Snyder, R. D., G. M. Martin, P. Gould and P. D. Feigin (2007) An assessment of alternative state space models for count time series, Working paper 4/07, Department of Econometrics & Business Statistics, Monash University. [288]
- Snyder, R. D., J. K. Ord and A. B. Koehler (2001) Prediction intervals for ARIMA models, *Journal of Business & Economic Statistics*, **19**(2), 217–225. [88]
- Solow, R. M. (1956) A contribution to the theory of economic growth, *Quarterly Journal of Economics*, **70**, 65–94. [336]
- Stirling, W. D. (1981) Least squares subject to linear constraints, *Journal of Applied Statistics*, **30**, 204–212. [194, 215]
- Stock, J. H. and M. W. Watson (1988) Variable trends in economic time series, *Journal of Economic Perspectives*, **2**(3), 147–174. [336, 340]
- Stuart, A. and J. K. Ord (1994) *Kendall's advanced theory of statistics. Vol. 1: Distribution theory*, Hodder Arnold, London, 6th ed. [268, 273, 275, 277, 287]

- Sugiura, N. (1978) Further analysis of the data by Akaike's information criterion and the finite corrections, *Communications in Statistics*, **A7**, 13–26. [114, 115]
- Sweet, A. L. (1985) Computing the variance of the forecast error for the Holt-Winters seasonal models, *Journal of Forecasting*, **4**, 235–243. [161]
- Syntetos, A. A. and J. E. Boylan (2001) On the bias of intermittent demand estimates, *International Journal of Production Economics*, **71**, 457–466. [291, 292]
- Syntetos, A. A. and J. E. Boylan (2005) The accuracy of intermittent demand estimates, *International Journal of Forecasting*, **21**, 303–314. [291, 292]
- Taylor, J. W. (2003a) Exponential smoothing with a damped multiplicative trend, *International Journal of Forecasting*, **19**, 715–725. [20, 72]
- Taylor, J. W. (2003b) Short-term electricity demand forecasting using double seasonal exponential smoothing, *Journal of the Operational Research Society*, **54**, 799–805. [239, 240, 255]
- Teräsvirta, T. and H. M. Anderson (1992) Characterizing nonlinearities in business cycles using smooth transition autoregressive models, *Journal of Applied Econometrics*, **7**, S119–S136. [337]
- Tsay, R. S. (2005) *Analysis of financial time series*, John Wiley & Sons, New York, USA, 2nd ed. [149, 330, 334]
- Watson, M. W. (2003) Macroeconomic forecasting using many predictors, in *Advances in economics and econometrics, theory and applications*, vol. 3, pp. 87–115, Eighth World Congress of the Econometric Society. [309]
- West, M. and P. J. Harrison (1997) *Bayesian forecasting and dynamic models*, Springer-Verlag, New York, USA, 2nd ed. [15, 63, 220]
- Willemain, T. R., C. N. Smart, J. H. Shockor and P. A. DeSautels (1994) Forecasting intermittent demand in manufacturing: a comparative evaluation of Croston's method, *International Journal of Forecasting*, **10**, 529–538. [292]
- Williams, D. (1991) *Probability with martingales*, Cambridge University Press, Cambridge. [272]
- Winters, P. R. (1960) Forecasting sales by exponentially weighted moving averages, *Management Science*, **6**, 324–342. [13, 23, 54, 239]
- Working, H. (1960) Note on the correlation of first differences of averages in a random chain, *Econometrica*, **28**, 916–918. [327, 334]
- Yar, M. and C. Chatfield (1990) Prediction intervals for the Holt-Winters forecasting procedure, *International Journal of Forecasting*, **6**, 127–137. [91, 98]
- Yurkiewicz, J. (2006) 2006 forecasting software survey, *OR/MS Today*, **33**(4), 40–49. [4]
- Zarnowitz, V. and C. Boschan (1977) Cyclical indicators, in *57th annual report*, pp. 34–38, National Bureau of Economic Research. [336]
- Zellner, A. (1962) An efficient method of estimating seemingly unrelated regressions and tests for aggregation bias, *Journal of the American Statistical Association*, **57**, 348–368. [299]

---

## Author index

- Abraham, B., 292  
Abramowitz, M., 332  
Agrawal, N., 315  
Akaike, H., 15, 114, 115, 220  
Akram, M., 157, 161, 164, 169, 265, 268, 272  
Allen, P. G., 304  
Andersen, T. G., 334  
Anderson, A., 36  
Anderson, B. D. O., 14, 15, 222, 227, 298  
Anderson, H. M., 337, 338, 344, 345  
Anderson, T. W., 154, 184, 207  
Ansley, C. F., 208, 222  
Aoki, M., 14, 15, 220  
Archibald, B. C., 24, 136, 157, 161, 164, 165, 169  
Assimakopoulos, V., 23, 56  
Athanasopoulos, G., 303
- Bachelier, L., 327  
Bell, W. R., 232  
Bera, A. K., 154  
Beveridge, S., 335, 337, 338, 344  
Billah, B., 23, 56, 114, 115, 126  
Black, F., 327  
Bollerslev, T., 329, 334  
Boschan, C., 336  
Bowerman, B. L., 24  
Bowman, K. O., 154  
Box, G. E. P., 14, 44, 73, 77, 149, 153, 171, 175, 176, 223, 239  
Boylan, J. E., 291, 292  
Brace, C., 248  
Brockwell, P. J., 45
- Brown, R. G., 13, 21, 22, 49, 240, 287, 294, 313, 317  
Bucy, R. S., 15  
Burridge, P., 232
- Caines, P., 223  
Campbell, J., 339, 340  
Canova, F., 335  
Carbone, R., 36  
Chan, K. S., 288  
Charnes, A., 235  
Chatfield, C., 83, 91, 92, 98  
Chen, C. C., 344  
Clarida, R. H., 344  
Cooper, W. W., 235  
Cottet, R., 248  
Cox, D. R., 73  
Croston, J. D., 288, 291, 292, 294
- Darling, D. A., 154  
Davis, R. A., 45  
de Jong, P., 208, 222  
de Kok, T. G., 299  
de Silva, A., 297, 302, 306, 308, 309  
Deistler, M., 14, 15, 158, 160, 227  
DeSautels, P. A., 292  
Doornik, J. A., 154  
Duncan, D. B., 15  
Durbin, J., 15
- Engle, R. F., 248, 304, 329
- Feigin, P. D., 288  
Fernandes, C., 288, 289

- Fildes, R., 36, 56  
 Flannery, B. P., 324  
 Forbes, C. S., 161, 208  
 Franses, P. H., 119  
 Friedman, M., 336
- Gallant, A. R., 76  
 Gardner, E. S., Jr, 13, 20, 23, 300  
 Gentleman, W. M., 215  
 Genton, M. G., 315  
 Geweke, J. F., 115  
 Ghosh, S. K., 315  
 Gijbels, I., 232  
 Gilchrist, W. G., 289  
 Golub, G. H., 194, 213, 215  
 Gould, P., 237, 288  
 Granger, C. W. J., 223, 248, 304, 305  
 Graves, S. C., 98, 313, 322  
 Grose, S., 17, 20, 23, 31, 36, 81, 86, 122, 266, 271  
 Grunwald, G. K., 290
- Hamilton, J. D., 76, 78, 337  
 Hamza, K., 290  
 Hannan, E. J., 14, 15, 114, 115, 158, 160, 227  
 Hansen, H., 154  
 Harrison, P. J., 15, 63, 91, 98, 220, 223, 313  
 Harvey, A. C., 15, 145, 152, 153, 155, 184, 205, 219, 220, 222, 231, 232, 239, 288, 289, 297, 299, 305, 334, 335  
 Havenner, A., 15  
 Heinen, A., 288  
 Heligman, L., 335  
 Hendry, D. F., 304  
 Hibon, M., 34, 36, 113, 116, 117, 119, 254  
 Hillmer, S. C., 232  
 Holt, C. C., 13, 22, 23, 52  
 Horn, S. D., 15  
 Hull, J., 328  
 Hurvich, C. M., 115  
 Hyndman, R. J., 3, 17, 19, 20, 23, 24, 31, 33, 34, 36, 56, 80, 81, 83, 85, 86, 98, 114–116, 122, 126, 157, 161, 164, 169, 237, 265, 266, 268, 271, 272, 290, 292, 297, 299, 302, 306, 308, 309
- Jarque, C. M., 154
- Jazwinski, A. H., 15  
 Jenkins, G. M., 14, 44, 77, 149, 171, 175, 176, 223, 239  
 Johansen, S., 304  
 Johnston, F. R., 91, 98, 291, 313  
 Jung, R. C., 288
- Kalman, R. E., 15, 187  
 Kendall, M. G., 327  
 Kim, C. J., 345  
 King, R. G., 346  
 Koehler, A. B., 15, 17, 20, 23, 24, 31, 33, 34, 36, 81, 85, 86, 88, 92, 98, 114–116, 122, 126, 136, 237, 248, 266, 271, 313  
 Kohn, R., 208, 222  
 Koning, A. J., 119  
 Koopman, S. J., 15, 231  
 Kukuk, M., 288
- Lawton, R., 161  
 Ledolter, J., 288, 292  
 Leeds, M., 223, 229  
 Lewandowski, R., 36  
 Liesenfeld, R., 288  
 Lilliefors, H. W., 154  
 Ljung, G. M., 153  
 Low, C. N., 337, 338, 344, 345  
 Lütkepohl, H., 297, 309
- Makridakis, S., 19, 24, 34, 36, 80, 86, 113, 116, 117, 254  
 Mankiw, N. G., 339, 340  
 Martin, G. M., 288  
 Mayne, D., 223  
 McClain, J. O., 162  
 McKenzie, E., 23, 133, 231, 300  
 Meddahi, N., 334  
 Meese, R. A., 115  
 Merton, R. C., 327  
 Miller, M., 337  
 Moore, J. B., 14, 15, 222, 227, 298  
 Morgan, F., 105  
 Morley, J. C., 337, 340, 343  
 Morzuch, B. J., 304  
 Muth, J. F., 14
- Nahmias, S., 315  
 Nelson, C. R., 335, 337, 338, 340, 343, 344

- Nelson, D. B., 330  
 Newbold, P., 223, 305, 337, 344  
 Newton, J., 36  
 Nikolopoulos, K., 23, 56  
 O'Connell, R. T., 24  
 Ord, J. K., 15, 17, 24, 85, 86, 88, 92, 98,  
 156, 237, 248, 265, 268, 273, 276, 277,  
 287, 313  
 Ouwehand, P., 299  
 Paige, C. C., 187  
 Park, J. W., 315  
 Parzen, E., 36  
 Pearlman, J. G., 182  
 Pegels, C. C., 20  
 Peterson, R., 313  
 Plosser, C. I., 335, 346  
 Pollard, J. H., 335  
 Pope, A., 232  
 Potter, S., 337  
 Press, W. H., 324  
 Proietti, T., 232, 339  
 Pyke, D. F., 313  
 Quinn, B., 114, 115  
 Ramanathan, R., 248  
 Rebelo, S., 346  
 Reinsel, G. C., 14, 44, 77, 149, 175, 176,  
 223, 239  
 Roberts, S. A., 133, 169  
 Robinson, P. M., 315  
 Ruiz, E., 334  
 Saunders, M. A., 187  
 Scholes, M., 327  
 Schott, J. R., 94  
 Schwarz, G., 114, 115  
 Schweppe, F., 192, 221  
 Shenstone, L., 292  
 Shenton, L. R., 154  
 Shephard, N., 334  
 Shibata, R., 115  
 Shiryaev, A. N., 272  
 Shockor, J. H., 292  
 Silver, E. A., 313  
 Silverman, B. W., 87  
 Sims, C. A., 303  
 Smart, C. N., 292  
 Smith, M., 248  
 Smith, S. A., 315  
 Snyder, R. D., 15, 17, 20, 23, 24, 31, 36,  
 81, 85, 86, 88, 92, 98, 122, 161, 208,  
 237, 248, 266, 271, 288, 292, 297, 302,  
 306, 308, 309, 313, 319, 337, 338, 344,  
 345  
 Solow, R. M., 336  
 Stegun, I. A., 332  
 Stekler, H. O., 119  
 Stevens, C. F., 15  
 Stirling, W. D., 194, 215  
 Stock, J. H., 336, 340  
 Stuart, A., 268, 273, 276, 277, 287  
 Sugiura, N., 114, 115  
 Sweet, A. L., 161  
 Syntetos, A. A., 291, 292  
 Taylor, J. W., 20, 72, 239, 240, 255  
 Taylor, M. P., 344  
 Teräsvirta, T., 337  
 Teukolsky, S. A., 324  
 Thomas, L. J., 162  
 Tiao, G. C., 232  
 Tsai, C., 115  
 Tsay, R. S., 149, 330, 334  
 Tsay, W. J., 344  
 Vahid-Araghi, F., 237, 248  
 Vahid, F., 303  
 van Donselaar, K. H., 299  
 Van Loan, C. F., 194, 213, 215  
 Vetterling, W. T., 324  
 Wallis, K. F., 232  
 Wand, M. P., 232  
 Watson, M. W., 309, 336, 340  
 West, M., 15, 63, 220  
 Wheelwright, S. C., 19, 24, 80, 86  
 White, A., 328  
 Willemain, T. R., 292  
 Williams, D., 272  
 Winkler, R., 36  
 Winters, P. R., 13, 23, 54, 239  
 Working, H., 327, 334  
 Yar, M., 91, 92, 98  
 Young, P., 156  
 Yurkiewicz, J., 4  
 Zarnowitz, V., 336  
 Zellner, A., 299  
 Zivot, E., 340, 343

---

## Data index

- annual US net electricity generation, 11, 36
- annual US new freight cars, 280–281
- hourly utility demand, 248–255
- hourly vehicle counts, 255–258
- M3 competition data, 117–122
- monthly Australian overseas visitors, 11, 36
- monthly Canadian gas production, 139
- monthly copper prices, 346
- monthly Dow Jones Index, 74, 330–332, 334
- monthly exchange rates, 306–309
- monthly hospital patient count, 123–124
- monthly product sales, 325
- monthly sales car parts, 293–296
- monthly US civilian unemployment, 156
- monthly US consumer confidence, 156
- monthly US domestic enplanements, 156
- monthly US gasoline prices, 149–151, 333–334
- monthly US government bond yields, 11, 36, 102
- quarterly Australian GDP, 78–80, 340–344
- quarterly French exports, 86, 96
- quarterly UK GDP, 340–344
- quarterly UK passenger vehicle production, 11, 36, 102
- quarterly US GDP, 82
- quarterly US GNP, 340–344
- Watson macroeconomic database, 309
- weekly FM sales, 147–149
- weekly jewelry sales, 282–284

---

# Subject index

- accuracy of forecast, 33–34
- additive error models, 25, 27–29
- aggregate demand, *see* lead-time demand
- AIC, 35, 114–116, 120, 122, 124, 125, 203, 204, 302, 303
- AICc, 114, 115, 124
- airline model, 176, 179
- Akaike’s Information Criterion, *see* AIC and AICc
- ARCH/GARCH models, 329–333
- ARIMA models, 171–185, 204, 223, 227–232, 234, 239, 245, 261, 262, 297, 337, 338, 340–345
  - multiplicative seasonal model, 175
- augmented sum of squared errors, *see* sum of squared errors
- autocovariance generating function, 230
- automatic forecasting, 35–36
- autoregressive conditional heteroscedastic models, *see* ARCH/GARCH models
- Bayesian Information Criterion, *see* BIC
- Bernoulli distribution, 292
- Beveridge-Nelson decomposition, 232, 335–346
- BIC, 35, 114, 115, 124
- Black-Scholes model, 328–329
- Box-Ljung-Pierce statistic, 153, 154
- Brown’s double exponential smoothing, 22
- Brownian motion, 328
- business cycle, 18, 335–337, 342, 344, 346,
  - see also* cycle
- canonical model, 219, 220
- Cauchy distribution, 268
- causal stationarity, 172, 173,
  - see also* stationarity
- censored data, 314, 315
- cointegrated models, 304
- composite models, 58
- conditional heteroscedasticity, 327–334
- convergence of estimates, 76, 222, 223
- convergence to zero problem, 269, 276, 281, 286, 290, 291
- count data, 287–296
- Croston’s method, 291–294
- cycle, 18, 237, 335, 336, 339
- cyclical models, 184–185
- damped level model, 55, 188, 195
- damped trend, 19, 20, 23, 56, 59, 72, 74, 116, 119–122, 124, 125, 134, 137, 183, 189, 190, 195, 196, 300, 304, 306–308, 310
- damping matrix, 300
- demand data, 291, 313
- differencing, 175, 176, 180, 204
- discount matrix, 45, 56, 160, 162, 170
- discounted sum of squared errors, 289
- double exponential smoothing, 22
- double seasonal method, 239–241, 246, 247, 252, 255–259
- drift, 328, 335, 336, 338, 344,

- see also* local level model with drift,  
*see also* random walk with drift  
 dummy variable, *see* indicator variable  
 dynamic linear models, 15
- efficient market hypothesis, 66, 327  
 EGARCH models, 330  
 empirical information criterion, *see*  
 LEIC  
 estimability, 15, 219  
 estimation, 32, 75–82, 138, 147, 191–193,  
 220–223, 247, 293, 300–302, 330,  
*see also* heuristic estimation,  
*see also* least squares estimation,  
*see also*  
 maximum likelihood estimation,  
*see also* optimization  
 ETS notation, 25  
 ETS(A,A,A), 29, 36, 53–54, 84, 89, 90, 99,  
 102, 103, 106, 112, 118, 131, 158,  
 159, 161, 162, 164–170, 179, 226,  
 239, 240, 300  
 ETS(A,A,M), 29, 71, 84, 118, 266  
 ETS(A,A,N), 27, 29, 37, 50–53, 74, 84, 89,  
 90, 99, 103, 106, 118, 158, 162, 163,  
 177  
 ETS(A,A<sub>d</sub>,A), 29, 84, 89, 90, 99, 103–106,  
 112, 118, 120, 134, 135, 158, 159,  
 162, 164–170  
 ETS(A,A<sub>d</sub>,M), 29, 84, 118, 142, 266  
 ETS(A,A<sub>d</sub>,N), 29, 36, 56, 59, 84, 89, 90,  
 99, 102, 103, 106, 118–120, 122, 125,  
 158, 162, 163, 170  
 ETS(A,M,A), 29, 84, 118, 266  
 ETS(A,M,M), 29, 74, 84, 118, 266  
 ETS(A,M,N), 29, 67, 68, 84, 118, 266–269  
 ETS(A,M<sub>d</sub>,A), 29, 84, 118, 142, 266  
 ETS(A,M<sub>d</sub>,M), 29, 74, 84, 118, 266  
 ETS(A,M<sub>d</sub>,N), 29, 84, 118, 266  
 ETS(A,N,A), 29, 36, 57, 84, 89, 90, 99,  
 102, 103, 106, 118, 151, 158, 159,  
 162, 164–166, 170  
 ETS(A,N,M), 29, 84, 118, 266  
 ETS(A,N,N), 29, 37, 48–50, 59, 62, 82, 84,  
 89, 90, 99–101, 103, 106, 118, 119,  
 151, 156, 158, 162, 163, 170, 176,  
 273, 280–283  
 ETS(M,A,A), 30, 84, 89, 91, 118  
 ETS(M,A,M), 30, 36, 69, 84, 86, 92,  
 94–96, 118, 119, 239  
 ETS(M,A,N), 27, 30, 66–67, 73, 74, 84,  
 89, 91, 118  
 ETS(M,A<sub>d</sub>,A), 30, 36, 84, 89, 91, 118,  
 134, 135  
 ETS(M,A<sub>d</sub>,M), 30, 84, 92, 93, 110,  
 118–120, 122, 137, 142  
 ETS(M,A<sub>d</sub>,N), 30, 36, 72, 74, 84, 89, 91,  
 118  
 ETS(M,M,A), 30, 84, 118, 266  
 ETS(M,M,M), 30, 74, 84, 118, 279  
 ETS(M,M,N), 30, 68, 84, 118, 286  
 ETS(M,M<sub>d</sub>,A), 30, 84, 118, 266  
 ETS(M,M<sub>d</sub>,M), 30, 74, 84, 118, 142, 280  
 ETS(M,M<sub>d</sub>,N), 30, 36, 84, 118, 286  
 ETS(M,N,A), 30, 84, 89, 91, 118  
 ETS(M,N,M), 30, 84, 92, 93, 118, 139, 286  
 ETS(M,N,N), 30, 37, 62, 65–66, 74, 84,  
 89, 91, 102, 118, 269–275, 279–286  
 exponentially weighted moving  
 average, 21, 50, 289, 290, 292  
 fast Givens transformation, 194, 210,  
 213–215  
 fill rate, 322, 323  
 finite start-up assumption, 42, 55, 172,  
 187, 191, 192, 208  
 forecast, *see* point forecast  
 forecast accuracy, 33–34  
 forecast errors, 21, 33,  
*see also* percentage errors,  
*see also* scaled errors  
 forecast interval, *see* prediction interval  
 forecast mean, 83, 89, 91–96, 98–101,  
 103, 104, 107–111, 131, 134–136,  
 138, 248, 302  
 forecast variance, 83, 90–111, 131,  
 134–136, 138, 142, 302,  
*see also* infinite variance problem  
 forecastability, 44, 45, 56, 59, 160–169,  
 229, 230, 234, 235, 300  
 forecasting method, 12, 20  
 forecasting software, 3  
 gamma distribution, 275–277  
 GARCH, *see* ARCH/GARCH models  
 Gaussian elimination, 211, 212  
 general exponential smoothing, 44, 77

- global trend, 51, 66
- goodness-of-fit measures, 152, 153
- Granger-Newbold theorem, 223, 224, 305
- group seasonality, 299, 300
- growth cycles, 336, 337
  
- Hannan-Quinn information criterion, *see* HQIC
- heteroscedasticity, 62, 73, 85, 91, 147, 155, 329–334
- heuristic estimation, 31, 32, 79–81
- history of exponential smoothing, 13–14
- Hodrick-Prescott filter, 335
- Holt's method, 13, 20, 22, 23, 27–28, 52, 177
- Holt-Winters' method, 13, 20, 23–25, 70, 73, 91, 98, 161, 164, 231, 239–242, 247, 252, 256–259, 300
- homogeneous coefficient models, 299
- hourly data, 237, 238, 240–243, 248–258
- HQIC, 114, 115, 124
  
- identifiability, 219, 226
- IGARCH models, 329
- indicator variable, 145–148, 156, 241–243, 259, 291
- infinite start-up assumption, 42, 46, 172, 191, 203, 208, 217
- infinite variance problem, 267–269
- information criteria, 35, 113–116, *see also*
  - AIC, BIC, AICc, HQIC and LEIC
- information filter, 187, 193–201, 210, 220
- initialization, 22, 31–32, 195–196, 252, 301, 302
- innovation, 42, 43, 77
- innovations state space models, 14–15, 28–31
  - linear, 14, 41–59, 89–91, 157–170
  - nonlinear, 14, 61–74, 265–286
  - random seed, 188
- intermittent demand data, 291
- interventions, 145–147, 156
- inventory control, 88, 313–325
- inventory control systems, 318–324
- invertibility, 45, 174, 176, 177, 179, 180, 231
  
- Kakutani's theorem, 271–272
- Kalman filter, 63, 187, 205–208, 220–222
  - augmented, 222
- Kalman gain, 207
- kernel density estimation, 87
- kernel smoothing, 232
- Kullback-Leibler distance, 115
  
- lag operator, 159, 171
- lead-time, 314
  - stochastic, 101, 102
- lead-time demand, 88
- lead-time demand forecasts, 83, 88–89, 98–102
- leading indicators, 147, 149–151
- least squares estimation, 78, 79, 192
- LEIC, 114, 115, 124, 126–127
- likelihood, 32, 76, 77, 113, 114, 191–193, 203, 221, 222, 277–278, 289, 301
- linear innovations state space models, *see* innovations state space models
- local level model, 47–50, 59, 62, 65–66, 146, 148, 151, 153, 185, 189, 195, 225, 228, 271, 276, 288, 290, 292, 300, 302, 304–307, 314, 316, 322, 330, 332, 333, *see also*
  - ETS(A,N,N) and ETS(M,N,N), *see also* simple exponential smoothing with drift, 23, 55, 56, 59, 72, 74, 82, 162, 330, 332, 339
- local negative binomial model, 289, 290, 294, 296
- local Poisson model, 288, 294, 296
- local trend model, 47, 50–53, 56, 66–67, 72–74, 79, 80, 198, 227–230, 234, 235, 300, 302, 304–308, 310, *see also*
  - ETS(A,A,N) and ETS(M,A,N)
- lognormal distribution, 272–275, 277, 278, 328
- lost sales, 314, 315, 317
  
- M3 competition, 34, 36, 81, 113, 116–122, 124, 125, 254, 280
- macroeconomic database, 309
- MAE, 33, 34
- MAPE, 33, 34

- Markov switching, 337, 344, 345
- martingales, 272, 328, 330
- MASE, 34, 116, 117, 126, 127, 306
- maximum likelihood estimation, 32, 75–79, 192, 193, 221, 281, 293, 295, 301, 341, 345,
  - see also* likelihood
  - quasi, 78
- mean absolute error, *see* MAE
- mean absolute percentage error, *see* MAPE
- mean absolute scaled error, *see* MASE
- mean squared error, *see* MSE
- measurement equation, 14, 42, 218, 220, 298
- METS (modified ETS) model, 272, 274–276, 278, 279
- minimum dimension models, 157–160, 170, 178, 223
- model classes, 84, 85, 266, 267
- model selection, 35, 113–127, 203–204, 247–251, 302
- model, statistical, 13
- MSE, 33
- MSOE state space models, 15, 217–235
- multiple seasonality, 237–263
  - model restrictions, 245–247
- multiple sources of error, *see* MSOE
  - state space models
- multiplicative error models, 25, 27, 28, 30, 31, 270–277
- multivariate exponential smoothing, 297–310
- negative binomial distribution, 287, 289, 290
- negative entropy, 115
- nonlinear state space models, 14, 61–74, 265–286
- normalization, 131–144, 159, 160, 169–170
- observability, 158, 159
- observation equation, *see* measurement equation
- optimization, 77, 81, 166, 235, 302
  - starting values, 32, 75, 80, 81
- option prices, 328
- order-up-to level, 319, 322
- outliers, 145, 154, 155
- over-dispersion, 288
- parameter space, 32, 79, 163–168, 229, 230, 235
- Pegels taxonomy, 20
- penalized likelihood, 35, 113,
  - see also* information criteria
- percentage errors, 33,
  - see also* MAPE
- permanent component, 336–339, 344
- persistence vector, 42
- point forecasts, 12–14, 19–25, 31, 63, 89, 91, 94, 99, 131, 135, 136, 138, 248, 291,
  - see also* forecast mean
- Poisson distribution, 287–289, 292, 294, 295
- positive data, 265–286
- prediction distribution, 83, 90, 91, 96–98, 147, 196, 273–280, 314
  - simulated, 84–89, 135, 138
- prediction error decomposition, 192, 193, 203, 221
- prediction intervals, 31, 91, 96–98, 135, 248, 282–283
- prediction validation, 124, 127
- QR/upper triangular decomposition, 194
- R software, 3
- random seed state vector, 187–216
- random walk, 49, 65, 66, 149, 156, 175, 190, 306–308, 327, 328, 330, 331, 334
  - with drift, 66, 74, 153, 330, 338, 339, 343
- reachability, 158, 159
- reduced form, 42, 62, 65, 155, 156, 171, 173, 176–180, 182, 184, 185, 223–228, 230, 231, 234, 245, 261–263, 300, 304–305
- regime switching, 337, 344, 345
- regression diagnostics, 152–155
- regressor variables, 145–156
- reorder level, 319, 321, 322
- residual checks, 153–156
- RMSE, 251

- root mean squared error, *see* RMSE
- safety stock, 319, 322–324
- sales data, 314–318
- scaled errors, 34, 126, 306,  
*see also* MASE
- Schwarz BIC, *see* BIC
- seasonal adjustment, 19, 131, 139, 140,  
232, 233
- seasonal levels model, 57, 73, 233
- seasonal models/methods,  
*see also* double seasonal method,  
*see also* Holt-Winters' method,  
*see also* multiple seasonality,  
*see also* normalization  
fixed seasonality, 73  
parsimonious, 57, 73, 243, 245, 250,  
256
- seasonality, 18
- seemingly unrelated models, 299
- simple exponential smoothing, 14,  
20–22, 49, 98, 101, 117, 176, 177,  
232, 270, 273, 289, 291, 315, 317,  
*see also* local level model
- single exponential smoothing, 21
- single source of error, *see* innovations  
state space models
- sMAPE, 34
- smooth transition autoregressive  
models, 337
- smoothing time series, 204–205,  
231–233
- software, 3
- SSOE state space models, *see*  
innovations state space models
- stability, 45, 50, 53, 55–57, 59, 63, 65, 67,  
68, 74, 79, 160–163, 169, 170, 176,  
180
- standardized variance, 192, 194, 195,  
198, 199, 201, 205, 216
- STAR models, 337
- start-up assumptions, *see* finite start-up  
assumption, *see* infinite start-up  
assumption
- state equation, *see* transition equation
- state space models, 14–15, 25–31,  
*see also*  
innovations state space models,  
*see also* MSOE state space models
- state vector, 14, 41, 42, 61, 62
- stationarity, 45, 46, 55, 172–176, 179,  
180, 189–192, 206, 222, 288, 329
- stochastic lead-times, 89, 101–102
- stochastic trend, 339
- stochastic volatility, 334
- structural models, 15, 219, 297, 305–306
- sum of squared errors, 77, 192, 193, 200,  
247,  
*see also*  
discounted sum of squared errors
- symmetric mean absolute percentage  
error, *see* sMAPE
- tests of Gaussianity, 154, 155
- Theta method, 23, 56
- threshold autoregressive models, 337
- time series decomposition, 17, 19, 335
- time series patterns, 11, 12
- time series regression, 145–156
- transition equation, 14, 42, 218, 298
- transition matrix, 42, 45
- transitory component, 336, 338, 339,  
342–344
- trend, 18, 335, 336, 339
- triangular stochastic equations, 193,  
194, 209–216
- truncated Gaussian distribution, 266
- uncertainty  
sources of, 83
- unstable sample paths, 267
- VAL method, *see* prediction validation
- VAR models, 297, 303, 304, 306–309
- VARIMA models, 297, 303–306, 310
- vector error-correction model, 304
- vector exponential smoothing, 297–310
- volatility, 328, 334
- website, 3
- weekly data, 57, 79, 81, 147–149,  
282–284
- Wiener processes, 328–330
- Wiener-Kolmogorov filter, 232
- Winters' method, *see* Holt-Winters'  
method
- Wold decomposition, 45, 46, 173, 223,  
338